





13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

| Lab #  | 2540127  | Report of Analysis |   | Report Number: 16-180-4091 |   |
|--|--|--------------------|---|----------------------------|---|
| <b>Account:</b><br>28674   | MIKE WOLFE<br>SOUTHEAST SOILS PEAT CO INC<br>1650 CR 470<br>OKAHUMPKA FL 34762 |                    | <br>Robert Ferris<br>Account Manager<br>402-829-9871 |                            |   |
| <b>Date Sampled:</b><br><b>Date Received:</b><br><b>Sample ID:</b> | 2016-06-14<br>2016-06-15<br>COMPOST  |                    |   |                            | MONTHLY COMPOST SAMPLE                      |
|  |  |                    | Analysis<br>(as rec'd)  | Analysis<br>(dry weight)   | Total content,<br>lbs per ton<br>(as rec'd) |
| <b>NUTRIENTS</b>   |  |                    |   |                            |   |
| Nitrogen   |  |                    |   |                            |   |
| Total Nitrogen   | %  | 0.37               | 1.02  | 7.4                        |   |
| Organic Nitrogen   | %  | 0.30               | 0.83  | 6.0                        |   |
| Ammonium Nitrogen  | %  | 0.069              | 0.190   | 1.4                        |   |
| Nitrate Nitrogen   | %  | < 0.01             | ----  | ----                       |   |
| Major and Secondary Nutrients                                      |  |                    |   |                            |   |
| Phosphorus   | %  | 0.16               | 0.44  | 3.2                        |   |
| Phosphorus as P2O5   | %  | 0.37               | 1.02  | 7.4                        |   |
| Potassium  | %  | 0.20               | 0.55  | 4.0                        |   |
| Potassium as K2O   | %  | 0.24               | 0.66  | 4.8                        |   |
| Sulfur   | %  | 0.09               | 0.25  | 1.8                        |   |
| Calcium  | %  | 0.71               | 1.95  | 14.2                       |   |
| Magnesium  | %  | 0.07               | 0.19  | 1.4                        |   |
| Sodium   | %  | 0.040              | 0.110   | 0.8                        |   |
| Micronutrients   |  |                    |   |                            |   |
| Iron   | ppm  | 523                | 1440  | 1.0                        |   |
| Manganese  | ppm  | 31.2               | 86  | ----                       |   |
| Boron  | ppm  | < 100              | ----  | ----                       |   |
| <b>OTHER PROPERTIES</b>  |  |                    |   |                            |   |
| Moisture   | %  | 63.68              |   |                            |   |
| Total Solids   | %  | 36.32              |   | 726.4                      |   |
| Organic Matter   | %  | 27.80              | 76.54   | 556.0                      |   |
| Ash  | %  | 8.60               | 23.68   | 172.0                      |   |
| Total Carbon   | %  | 11.27              | 31.03   |                            |   |
| Chloride   | %  | 0.06               | 0.17  |                            |   |
| pH   |  | 7.3                |   |                            |   |
| Conductivity 1:5 (Soluble Salts)                                   | mS/cm  | 3.66               |   |                            |   |

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

| Lab #  | 2540127  | <b>Biological &amp; Physical Properties</b> |                              |   | Report Number: 16-180-4091 |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
|--|--|---|------------------------------|---|----------------------------|--|------------------------|--------------------------|-------|-----------------|--------|------------------------------|--|--|--|--|--|-------------|-----|--|---|---|--------------|-------------------|----|--|---|---|--------------|------------------------------|------|--|------------------------------|------|--------------|----------------------------------|------|--|------------------------------|------|--------------|----------------|--|-------|-------|-----|----------|------------|--|--------|--------|------|----------|------------------|--------|--|-----|-----|--------------|----------------------------|--|--|--|--|--|----------------------|-----|--|-------------|---|--------|-----------------------|------|--|-------------|---|--------|---------------|------|--|---|------|-------------|-----------------|------|--|---|------|-------------|---------------|------|--|---|------|-------------|----------------|------|--|---|------|-------------|--------|--------|--|-----|-----|-------------|----------------------|--|-----|--------|-----|-------------|--------------------|--|-----|---|------|-------------|--------------------|--|-----|---|------|-------------|----------------------|--|-----|---|------|-------------|--------------------|--|-----|---|------|-------------|----------------------|--|-----|---|------|-------------|----------------------|--|-----|---|------|-------------|----------------------|--|----|---|------|-------------|----------------------|--|----|---|------|-------------|
| <b>Account:</b><br>28674   | MIKE WOLFE<br>SOUTHEAST SOILS PEAT CO INC<br>1650 CR 470<br>OKAHUMPKA FL 34762 |   |                              | <br>Robert Ferris<br>Client Service Representative<br>402-829-9871 |                            |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| <b>Date Sampled:</b>   | 2016-06-14   |   |                              | MONTHLY COMPOST SAMPLE  |                            |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| <b>Date Received:</b>  | 2016-06-15   |   |                              |   |                            |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| <b>Sample ID:</b>  | COMPOST  |   |                              |   |                            |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| <table border="1"> <thead> <tr> <th></th> <th>Analysis<br/>(as rec'd)</th> <th>Analysis<br/>(dry weight)</th> <th>Units</th> <th>Detection Limit</th> <th>Method</th> </tr> </thead> <tbody> <tr> <td colspan="6"><b>Biological Properties</b></td> </tr> <tr> <td>Germination</td> <td>100</td> <td></td> <td>%</td> <td>1</td> <td>TMECC 05.05A</td> </tr> <tr> <td>Germination Vigor</td> <td>80</td> <td></td> <td>%</td> <td>1</td> <td>TMECC 05.05A</td> </tr> <tr> <td>CO<sub>2</sub> OM Evolution</td> <td>0.11</td> <td></td> <td>mgCO<sub>2</sub>-C/gOM/day</td> <td>0.01</td> <td>TMECC 05.08B</td> </tr> <tr> <td>CO<sub>2</sub> Solids Evolution</td> <td>0.24</td> <td></td> <td>mgCO<sub>2</sub>-C/gTS/day</td> <td>0.01</td> <td>TMECC 05.08B</td> </tr> <tr> <td>Fecal Coliform</td> <td></td> <td>&lt; 0.2</td> <td>mpn/g</td> <td>0.2</td> <td>EPA 1681</td> </tr> <tr> <td>Salmonella</td> <td></td> <td>&lt; 0.01</td> <td>mpn/4g</td> <td>0.01</td> <td>EPA 1682</td> </tr> <tr> <td>Stability Rating</td> <td>stable</td> <td></td> <td>N/A</td> <td>N/A</td> <td>TMECC 05.08B</td> </tr> <tr> <td colspan="6"><b>Physical Properties</b></td> </tr> <tr> <td>Bulk Density (Loose)</td> <td>859</td> <td></td> <td>lbs/cu yard</td> <td>1</td> <td>WT/VOL</td> </tr> <tr> <td>Bulk Density (Packed)</td> <td>1483</td> <td></td> <td>lbs/cu yard</td> <td>1</td> <td>WT/VOL</td> </tr> <tr> <td>Film Plastics</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.25</td> <td>Microscopic</td> </tr> <tr> <td>Glass Fragments</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.25</td> <td>Microscopic</td> </tr> <tr> <td>Hard Plastics</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.25</td> <td>Microscopic</td> </tr> <tr> <td>Metal Fragment</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.25</td> <td>Microscopic</td> </tr> <tr> <td>Sharps</td> <td>absent</td> <td></td> <td>---</td> <td>---</td> <td>Microscopic</td> </tr> <tr> <td>Max. Particle Length</td> <td></td> <td>1.5</td> <td>inches</td> <td>N/A</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 2"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1.5"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3/4"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 5/8"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3/8"</td> <td></td> <td>93</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1/4"</td> <td></td> <td>74</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> </tbody> </table> |  |   |                              |   |                            |  | Analysis<br>(as rec'd) | Analysis<br>(dry weight) | Units | Detection Limit | Method | <b>Biological Properties</b> |  |  |  |  |  | Germination | 100 |  | % | 1 | TMECC 05.05A | Germination Vigor | 80 |  | % | 1 | TMECC 05.05A | CO <sub>2</sub> OM Evolution | 0.11 |  | mgCO <sub>2</sub> -C/gOM/day | 0.01 | TMECC 05.08B | CO <sub>2</sub> Solids Evolution | 0.24 |  | mgCO <sub>2</sub> -C/gTS/day | 0.01 | TMECC 05.08B | Fecal Coliform |  | < 0.2 | mpn/g | 0.2 | EPA 1681 | Salmonella |  | < 0.01 | mpn/4g | 0.01 | EPA 1682 | Stability Rating | stable |  | N/A | N/A | TMECC 05.08B | <b>Physical Properties</b> |  |  |  |  |  | Bulk Density (Loose) | 859 |  | lbs/cu yard | 1 | WT/VOL | Bulk Density (Packed) | 1483 |  | lbs/cu yard | 1 | WT/VOL | Film Plastics | n.d. |  | % | 0.25 | Microscopic | Glass Fragments | n.d. |  | % | 0.25 | Microscopic | Hard Plastics | n.d. |  | % | 0.25 | Microscopic | Metal Fragment | n.d. |  | % | 0.25 | Microscopic | Sharps | absent |  | --- | --- | Microscopic | Max. Particle Length |  | 1.5 | inches | N/A | TMECC Sieve | Sieve % Passing 3" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 2" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 1.5" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 1" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 3/4" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 5/8" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 3/8" |  | 93 | % | 0.01 | TMECC Sieve | Sieve % Passing 1/4" |  | 74 | % | 0.01 | TMECC Sieve |
|  | Analysis<br>(as rec'd)   | Analysis<br>(dry weight)                    | Units                        | Detection Limit   | Method                     |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| <b>Biological Properties</b>   |  |   |                              |   |                            |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Germination  | 100  |   | %                            | 1   | TMECC 05.05A               |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Germination Vigor  | 80   |   | %                            | 1   | TMECC 05.05A               |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| CO <sub>2</sub> OM Evolution   | 0.11   |   | mgCO <sub>2</sub> -C/gOM/day | 0.01  | TMECC 05.08B               |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| CO <sub>2</sub> Solids Evolution   | 0.24   |   | mgCO <sub>2</sub> -C/gTS/day | 0.01  | TMECC 05.08B               |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Fecal Coliform   |  | < 0.2                                       | mpn/g                        | 0.2   | EPA 1681                   |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Salmonella   |  | < 0.01                                      | mpn/4g                       | 0.01  | EPA 1682                   |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Stability Rating   | stable   |   | N/A                          | N/A   | TMECC 05.08B               |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| <b>Physical Properties</b>   |  |   |                              |   |                            |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Bulk Density (Loose)   | 859  |   | lbs/cu yard                  | 1   | WT/VOL                     |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Bulk Density (Packed)  | 1483   |   | lbs/cu yard                  | 1   | WT/VOL                     |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Film Plastics  | n.d.   |   | %                            | 0.25  | Microscopic                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Glass Fragments  | n.d.   |   | %                            | 0.25  | Microscopic                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Hard Plastics  | n.d.   |   | %                            | 0.25  | Microscopic                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Metal Fragment   | n.d.   |   | %                            | 0.25  | Microscopic                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sharps   | absent   |   | ---                          | ---   | Microscopic                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Max. Particle Length   |  | 1.5   | inches                       | N/A   | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 3"   |  | 100   | %                            | 0.01  | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 2"   |  | 100   | %                            | 0.01  | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 1.5"   |  | 100   | %                            | 0.01  | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 1"   |  | 100   | %                            | 0.01  | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 3/4"   |  | 100   | %                            | 0.01  | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 5/8"   |  | 100   | %                            | 0.01  | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 3/8"   |  | 93  | %                            | 0.01  | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 1/4"   |  | 74  | %                            | 0.01  | TMECC Sieve                |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |    |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |            |  |        |        |      |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |                      |  |    |   |      |             |

Compost Results Interpretations

Page 1

Report #:

16-180-4091

DATE RECEIVED:

2016-06-15

Organic Matter %

27.80 As Received

76.54 Dry Weight

Greater than 20% indicates a desirable range for compost on a dry weight basis.

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio

30.5:1

20-30 indicates an ideal range for the initial compost process.

10-20 indicates an ideal range for a finished compost.

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %

63.68

<35% = Indicates overly dry compost

>55% = Indicates overly wet compost

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

16-180-4091

DATE RECEIVED:

2016-06-15

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

|                  |
|------------------|
| Conductivity 1:5 |
| 3.7              |

| Conductivity Level | Interpretation  |
|--------------------|---|
| Greater than 10    | Very High nutrient content. Use for Ag Applications                         |
| 5 - 10             | High nutrient content. Use for Ag Applications                              |
| 3 - 5              | Higher than desirable for salt sensitive plants, some loss of vigor         |
| 0.6 - 3            | Desirable range for most plants   |
| 0.3 - 0.6          | Ideal range for greenhouse growth media                                     |
| 0.0 - 0.3          | Very Low: Indicates very low nutrient status: plants may show deficiencies. |

Compost Results Interpretations

Page 3

Report #:

16-180-4091

DATE RECEIVED:

2016-06-15

pH Value

7.3

0 to 14 scale with 6 to 8 as normal pH levels for compost

A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

Nutrient Index (Ag Index)

9.8

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

| AG INDEX CHART              |   |   |   |   |   |   |   |   |                      |      |
|-----------------------------|---|---|---|---|---|---|---|---|----------------------|------|
| <i>salt injury possible</i> | <i>use on soils with excellent drainage characteristics, good water quality and low salts</i> |   |   |   | <i>you may use on soils with poor drainage, poor water quality, or high salts</i> |   |   |   | <i>for all soils</i> |      |
| 1                           | 2   | 3 | 4 | 5 | 6   | 7 | 8 | 9 | 10                   | > 10 |

Nutrients (N+P205+K20)

2.70

Average Nutrient Content Dry Weight

<2 = Low, >5 = High

0.5-0.5-0

Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

**SOUTHEAST SOILS PEAT CO INC  
MIKE WOLFE  
1650 CR 470  
OKAHUMPKA FL 34762**


**REPORT OF ANALYSIS**

For: (28674) SOUTHEAST SOILS PEAT CO INC  
MONTHLY COMPOST SAMPLE

| Analysis                  | Level Found                |            | Units                                | Reporting |            | Analyst-<br>Date | Verified-<br>Date |
|---------------------------|----------------------------|------------|--------------------------------------|-----------|------------|------------------|-------------------|
|                           | As Received                | Dry Weight |                                      | Limit     | Method     |                  |                   |
| Sample ID: <b>COMPOST</b> | Lab Number: <b>2540127</b> |            | Date Sampled: <b>2016-06-14 1515</b> |           |            |                  |                   |
| Cadmium (total)           | n.d.                       | n.d.       | mg/kg                                | 0.50      | EPA 6010 * | ras7-2016/06/16  | bab2-2016/06/17   |
| Chromium (total)          | 2.07                       | 5.70       | mg/kg                                | 1.00      | EPA 6010 * | ras7-2016/06/16  | bab2-2016/06/17   |
| Mercury (total)           | n.d.                       | n.d.       | mg/kg                                | 0.05      | EPA 7471 * | ccm2-2016/06/17  | bab2-2016/06/17   |
| Lead (total)              | n.d.                       | n.d.       | mg/kg                                | 5.0       | EPA 6010 * | ras7-2016/06/16  | bab2-2016/06/17   |
| Molybdenum (total)        | n.d.                       | n.d.       | mg/kg                                | 1.0       | EPA 6010 * | ras7-2016/06/16  | bab2-2016/06/17   |
| Nickel (total)            | 1.1                        | 3.0        | mg/kg                                | 1.0       | EPA 6010 * | ras7-2016/06/16  | bab2-2016/06/17   |
| Selenium (total)          | n.d.                       | n.d.       | mg/kg                                | 10.0      | EPA 6010 * | ras7-2016/06/16  | bab2-2016/06/17   |
| Zinc (total)              | 53.2                       | 146.5      | mg/kg                                | 2.0       | EPA 6010 * | ras7-2016/06/16  | bab2-2016/06/17   |
| Copper (total)            | 26.1                       | 71.9       | mg/kg                                | 1         | EPA 6010 * | ras7-2016/06/16  | bab2-2016/06/17   |
| Arsenic (total)           | n.d.                       | n.d.       | mg/kg                                | 0.5       | EPA 6020   | akj2-2016/06/17  | bab2-2016/06/17   |

n.d. = not detected , ppm = parts per million, ppm = mg/kg

For questions please contact:



Rob Ferris  
Account Manager  
raf4@midwestlabs.com (402)829-9871

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.



**US COMPOSTING COUNCIL**



2540 127-127  
 Samples: Page:  
 1 1/1  
 Lora L. Mikels  
 2016 06 15 12:27

**OFFICIAL Seal of Testing Assurance  
 Compost Sample Chain of Custody Form**

STA Laboratory: Midwest Laboratories, Inc. Tel: 402-334-7770  
 Address: 13611 B. Street FAX: 402-334-9121  
 Email: jking@midwestlabs.com  
 City, State Zip code: Omaha, NE 68144

Client/Reporting Company: C&C Peat Company, Inc. Tel: 352-323-8213  
 Contact Name: Michael Wolfe FAX: 352-365-0367  
 Billing Address: 1650 County Road 470 Email: m.wolfe@ccpeat.com  
 City, State Zip code: Okahumpka, FL 34762

Send Results to:  
 City, State Zip code:

Name or Source of Sample(s): Monthly Compost Sample  
 Name of Person(s), Sample Collector(s): Michael Wolfe

**LABORATORY USE ONLY** Storage Locations  
 Freezer \_\_\_\_\_ Cold Room \_\_\_\_\_ Storage Shelf \_\_\_\_\_  
 Sample Condition: \_\_\_\_\_  
 Temperature: \_\_\_\_\_ Malodor: \_\_\_\_\_ Moisture: \_\_\_\_\_  
 Sample Type:  POINT  COMPOSITE  STRATIFIED  INTERVAL  
 P.O. Number: \_\_\_\_\_  
 USCC Member:  YES  NO

**SELECTION OF ANALYSIS.** Refer to <http://www.tnacc.org/cap/methods.html> for details.  
 STA Suite: State DOT Tests (indicate State), A, B, C - Specify other tests in fields A through C, (e.g., tests required for regulated samples, etc.). NOTE! STA analytical results via the STA Compost Technical Data Sheet and this Chain of Custody form are submitted to STA program management.

A B C

| Client Sample ID and Special Instructions | 1. List Feedstocks<br>2. Check all that apply<br>3. List % by volume. (Optional) |                                     | Collection Date/Time                           | Sample Matrix  | Composting Operation Type  | Shipping Temperature   | Indicate Compost Analysis Requirements (*Identify state) |                          |       | LAB USE ONLY<br>Job Number & Sample Status |
|---|--|-------------------------------------|--|--|--|--|--|--------------------------|-------|--|
|   | Green waste  | Carcass                             |  |  |  |  | STA Suite  | State DOT Identify State | A     |  |
| Compost                                   | <input checked="" type="checkbox"/> Manure                                       | <input type="checkbox"/> Fish Waste | Date: 6/14/16<br>Time: 3:15 pm<br>Initials: MW | Compost <input checked="" type="radio"/><br>Feedstock <input type="radio"/><br>Mulch <input type="radio"/> | Windrow <input checked="" type="radio"/><br>Static pile <input type="radio"/><br>In-Vessel <input type="radio"/> | Ambient <input type="radio"/><br>Wet Ice <input checked="" type="radio"/><br>Dry Ice <input type="radio"/> | STA Suite  | State DOT Identify State | A B C | 2540127                                    |

INFORM THE STA LABORATORY AND SPECIFY THE REQUIRED LABORATORY TESTS WHEN SUBMITTING REGULATED COMPOST SAMPLES (please use spaces A, B and C provided above).

PLEASE PROVIDE SPECIFIC FEEDSTOCK AND OPERATIONAL DETAIL IN THE SPACE PROVIDED.  
 YOUR VOLUNTEERED INFORMATION PROVIDES USCC STANDARDS AND PRACTICES COMMITTEE WITH CRUCIAL DATA NEEDED TO BETTER UNDERSTAND THE COMPOSTING PROCESS AND COMPOST END USES.

|                       |      |      |                       |      |      |
|-----------------------|------|------|-----------------------|------|------|
| Releasing Signature 1 | Date | Time | Receiving Signature 1 | Date | Time |
| Releasing Signature 2 | Date | Time | Receiving Signature 2 | Date | Time |
| Releasing Signature 3 | Date | Time | Receiving Signature 3 | Date | Time |
| Releasing Signature 4 | Date | Time | Receiving Signature 4 | Date | Time |

17.2°C MW